



VM-4HDCPxI

1:4 DVI (HDCP) Distribution Amplifier



The **VM-4HDCPxI** is a high-performance distribution amplifier for DVI signals. The unit reclocks and equalizes one input signal and distributes it to four identical outputs.

FEATURES

- Max. Data Rate - 6.75Gbps (2.25Gbps per graphic channel).
- Max. Resolution - Up to UXGA & 1080p.
- HDTV Compatible.
- HDCP Compliant.
- I-EDIDPro™ Kramer Intelligent EDID Processing™ - Intelligent EDID handling & processing algorithm ensures Plug and Play operation for DVI systems.
- Worldwide Power Supply - 100–240V AC.
- Standard 19" Rack Mount Size - 1U. Rack "ears" included.

TECHNICAL SPECIFICATIONS

INPUT: 1 DVI, 1.2Vpp on a DVI Molex 24-pin (F) connector; DDC signal 5Vpp (TTL).

OUTPUTS: 4 DVI, 1.2Vpp on DVI Molex 24-pin (F) connectors; DDC signal 5Vpp (TTL).

MAX. DATA RATE: 6.75Gbps (2.25Gbps per graphic channel).

CONTROLS: EDID SELECT, EDID READ.

INDICATOR LEDs: OUTPUT STATUS LEDs.

POWER CONSUMPTION: 100–240V AC, 50/60Hz 17VA.

DIMENSIONS: 19" x 7" x 1U W, D, H, rack mountable.

WEIGHT: 2.5kg (5.5lbs) approx.

INCLUDED ACCESSORIES: Power cord, rack "ears".

