


P4.81 500*1000 Outdoor Die-Cast Aluminum Cabinet Full Color Led Display Specification

V20200316



Module

Cabinet



Module features:

- 1, Easy: Modular design, easy assembly and maintenance.
- 2, module size: 250*250mm, Smooth surface, module gap small, High precision

Cabinet features:

- Light: Cabinet size: 500*1000mm, Weight: 17.8kg/pc.
- Thin: Die-cast aluminum design, high precision, thickness only 86mm.
- Fast: Fast locks, Easy to assemble and disassemble.
- Compatibility: Available pixel pitch for P3.91, P4.81.
- Low: Excellent cooling design, no fans or air-conditioners needed noiseless, low power consumption, cost-effective.

Technical Parameters :

	Item	Specification Parameter
Module Parameter	Pixel Pitch、Resolution rate、size	4.81mm、52*52、250*250*16mm
	Pixel color、 Pixel LED	1R1G1B、 SMD1921 Nationstar
	Working voltage、 Module Power	DC5V、 720W/m2
	Driving IC、 Driving way	ICND2153、 1/13
	HUB	HUB75
	Cabinet Parameter	Material、 Cabinet Weight(kg/Cabinet)
Resolution rate、 size、 Module quantity		104*208Dots、 500*1000*86m、 2*4
Density		43264dots/m ²
White balance 、 Color temperature		4500 CD/m ² 、 6000K-8000K
view angel、 Non-Flatness、 Module interval		H/V: 120°/120°、 <0.2mm、 <0.2mm
Maximal power/m ² 、 Average power/m ²		1100w/m ² 、 930w/m ²
Frame frequency、 Refresh frequency、 Gray grade		60hz、 1920hz、 14bit
Control system、 System supports		Colorlight, Windows XP, WIN 7
Working temperature、 Protection grade		-20~50℃、 Front/Back: IP65/IP65

Assembly Sketch Map/Power Cable And Signal Cable Connection Sketch Map:

